



Areco® Lagersortiment

HANDELSSTÅL

Plattstång-varmvalsad (6m) S235JR	
3x15 (5m)	8x40
3x20 (5m)	8x50
3x25 (5m)	8x60
3x30 (5m)	8x80
3x50 (5m)	8x100
5x20	8x150
5x25	10x30
5x30	10x40
5x40	10x50
5x50	10x60
5x60	10x80
5x80	10x100
6x30	10x120
6x40	10x150
6x50	10x200
6x60	12x50
6x100	12x80
8x25	15x200
8x30	

Plattstång-varmförzinkad (6m) S235JR	
3x30	
5x25	
5x40	
6x50	
6x60	

Komprimerad Axel (3m) S235JRG2 (SS1312-06)	
Ø 4	
Ø 5	

Rundstång-varmvalsad (6m) S235JR	
Ø 6	Ø 16
Ø 8	Ø 20
Ø 10	Ø 25
Ø 12	

Vinkelstång-varmvalsad (6m) S235JR	
3x20x20	6x60x60
3x25x25	7x70x70
3x30x30	6x80x40
4x40x40	8x80x80
5x50x50	8x100x50
5x60x40	10x100x100

Vinkelstång-varmförzinkad (6m) S235JR	
3x30x30	
4x40x40	
5x50x50	
6x60x60	

Fyrkantstång-varmvalsad (6m) S235JR	
□ 6	
□ 8	
□ 10	
□ 12	
□ 15	
□ 20	



Areco® Lagersortiment

HANDELSSTÅL

Hålprofil-Kvadratisk (6m) Din 2395	
1,5x15x15	
2x20x20	
2x25x25	
2x30x30	
2x35x35	
2x40x40	
2x50x50	

Hålprofil-Kvadratisk (6m) KKR, S355J2H	
3x30x30	4x60x60
3x40x40	4x70x70
3x50x50	4x80x80
3x60x60	4x100x100
4x40x40	5x100x100
4x50x50	

Hålprofil-Rektangulär (6m) Din 2395	
2x40x20	
2x50x30	
2x60x40	

Hålprofil-Rektangulär (6m) KKR, S355J2H	
3x50x30	
3x60x40	
3x80x40	
4x100x50	

U-stång-varmvalsad (6m) S235JR	
U-50 (50x38x5x7)	
U-65 (42x5,5x7,5)	

UPE-balk (6m) S355M-N	
UPE-80	
UPE-100	
UPE-120	
UPE-140	

U-profil, kallformad (6m) S235J2C (SS-EN10162)	
3x40x40x40	

Handelsrör-svetsade stålrör (6m) Obelh. "Svarta", ogängade	
21,3x2,65 - 1/2"	
26,9x2,65 - 3/4"	
33,7x3,25 - 1"	
42,4x3,25 - 1 1/4"	
48,3x3,25 - 1 1/2"	
60,3x3,65 - 2"	

Handelsrör-svetsade stålrör (6m) Varmförzinkad, ogängade	
33,7x3,25 - 1"	
42,4x3,25 - 1 1/4"	

Rörböj Din 2605, kort radie, 3 S 90°	
21,3x2,0	
26,9x2,3	
33,7x2,6	
42,4x2,6	
48,3x2,6	
60,3	



Areco® Lagersortiment

HANDELSSTÅL

Varmvalsad plåt 240 YPB / S235JR	
3x2000x1000	6x2000x1000
3x2500x1250	6x2500x1250
3x3000x1500	8x2000x1000
4x2000x1000	8x2500x1250
4x2500x1250	10x2000x1000
4x3000x1500	10x2500x1250
5x2000x1000	12x2000x1000
5x2500x1250	15x2000x1000
5x3000x1500	20x2000x1000

Kallvalsad plåt DC 01 Am, anoljad	
0,7x2000x1000	2,0x2000x1000
1,0x2000x1000	2,0x2500x1250
1,0x2500x1250	3,0x2000x1000
1,5x2000x1000	3,0x2500x1250
1,5x2500x1250	

Varmvalsad durkplåt Rutplåt, S235JR	
5x2000x1000	
5x2500x1250	

Varmförzinkad plåt DX 51 D + Z 275/B 500 Z 275	
0,5x2000x1250	1,5x2000x1000
0,7x2000x1000	1,5x2500x1250
0,7x2000x1250	2,0x2000x1000
0,7x2500x1250	2,0x2500x1250
1,0x2000x1000	
1,0x2500x1250	
1,25x2000x1000	
1,25x2500x1250	

Aluminium Plåt /EN AW-1050A, H14/H24 (SS 4007-14)	
1,0x2000x1000	2,0x2000x1000
1,0x2500x1250	2,0x2500x1250
1,5x2000x1000	3,0x2000x1000
1,5x2500x1250	3,0x2500x1250

Aluminium durkplåt 5-bar, EN AW-5754, H114	
3/5x2000x1000	
3/5x2500x1250	
3/5x3000x1500	
5/7x2000x1000	
5/7x2500x1250	
5/7x3000x1500	

Aluminium plåt /EN AW-3003, H45 (Skyltvit/plåt, NCS0500)	
1,5x2500x1250	

Gallerdurk /Varmförzinkad SS3583 /SP3475	
25x3 - 3000x1000	30x3 - 3000x1000
25x3 - 6000x1000	30x3 - 6000x1000

Gallerdurksteg Varmförzinkad SS3583	
800x230	
900x230	

Gallerdurkklammer Varmförzinkad	
K2 - Måsvinge	
K3 - Klämklammer	